



daisy.
COMMUNICATIONS

How to configure your TP Link Archer router

This guide will help you configure your router step by step using web management.

CONNECTIVITY



How to configure your TP Link Archer router

Step One

- Firstly, ensure a live and connected SIM card is inserted into the rear of the modem. The TP Link Archer MR600 requires a Micro SIM.
- Power the device on, with the power lead connected, and the Wi-Fi logo light clearly displayed on the router.
- On a laptop/computer, click on the Wi-Fi connections and the TP Link should be displayed on the list, as per **Diagram 1**:
- Ensure you connect to the TP Link router by using the Network Password found on the base of the router on the white sticker.
- Go onto your preferred internet browser window (such as Google Chrome, Microsoft Edge or Apple Safari) and launch the web page <http://tplinkmodem.net>
- Create a new password for your TP Link login and click 'next'.




DIAGRAM 1 - WI-FI CONNECTIONS

Step Two

- Then select a Time Zone as per **Diagram 2** and click 'next'.




DIAGRAM 2 - SELECTING TIME ZONES

How to configure your TP Link Archer router

Step Three

- On the next screen the customer will need to create a new data profile for the network SIM placed in the handset. This will be is either O2 or Vodafone. To do this you will need to click on **'Advanced – Network – Internet'** and select **'Create Profile'** which is found at the bottom.




DIAGRAM 3 - CREATING PROFILES

How to configure your TP Link Archer router



Step Four

Creating Profiles

Please ensure the correct profile settings are used, based upon the product purchased.

The profile settings needed are as follows:

O2

Profile Name: o2internet

APN: mobile.o2.co.uk

PDP Type: IPv4

APN Type: Dynamic

Username: o2wap

Password: password

Authentication Type: None




DIAGRAM 4 - PROFILE SETTINGS

How to configure your TP Link Archer router

Step Five

- Save the changes and the icons will then light up on the router to indicate the 4G+ and internet connection has been established as per Diagram 5.
- Test the internet connection by doing an internet search to ensure web pages open up correctly.



DIAGRAM 5 - LIT CONNECTION ICONS